Glendive Medical Center URGENT CARE



Open 6 days a week:

Monday - Friday: 9:30am - 5:30pm Saturday: 10am-2pm Sunday: Closed



Illnesses or Minor Problems

Allergies

Allergies may be seasonal or year round. Common symptoms may include sneezing, a stuffy or runny nose, itchy or watery eyes, and may have an itchy throat or itchy ears. If you experience a flare-up of your asthma, shortness of breath, chest pain, hives, rash, swelling of the throat/ tongue/lips, or difficulty swallowing after these symptoms, please call 911 and visit the GMC Emergency Department.

Level I Office Visit: \$90.00

Arthritis

Arthritis is inflamed or swollen joint(s). Common symptoms may include swelling, pain, and stiffness.

Level I Office Visit \$90.00

Asthma

Common symptoms of Asthma may include a frequent dry cough, wheezing or mild shortness of breath. Your asthma may become worse with exercise, colds, bronchitis or allergies. If you experience a flare-up of your asthma with severe shortness of breath or chest pain, please call 911 and visit the GMC Emergency Room.

Level II Office Visit \$140.00 + Nebulizer Treatment (If Applicable) \$62.00

Bladder or Urinary Tract Infection

Bladder and Urinary Tract Infection symptoms may include urinating frequently, persisting urge to urinate, and pain or burning with urinating. Common causes may include bacterial infection, dehydration, virus, kidney stone, or sexual transmitted infection.

Level I Office Visit \$90.00 + Urine Screen (If Applicable) \$20.00 Additional Charges May Apply Upon A Positive Result

Bronchitis

Bronchitis symptoms include coughing; sometimes thick mucus causes chest congestion, fatigue, fever and sometimes wheezing. Bronchitis is an inflammation of the bronchus caused by a virus or bacteria.

Level I Office Visit \$90.00 Level II Office Visit \$140.00 + Nebulizer Treatment (If Applicable) \$62.00

Cold Sores

Cold Sore symptoms may include a blister or sore on or near the lips or mouth. These are commonly caused by a virus infection.

Level I Office Visit \$90.00

Common Colds

Common cold symptoms may include a runny or stuffy nose, mild sore throat, cough, nasal congestion, fatigue, low grade fever, ear pressure or pain, and sometimes watery eyes. Common colds can be caused by many types of viruses, although rhinoviruses are the most common culprit.

Level I Office Visit \$90.00

Respiratory Infection

Common symptoms of respiratory infection may include cough, chest congestion, low grade fever, runny or stuffy nose, and sore throat.

Level II Office Visit \$140.00 + Nebulizer Treatment (If Applicable) \$62.00

Diarrhea Only

Common symptoms of diarrhea may include frequent loose or watery stools, and often times accompanied by a stomach ache. Diarrhea is often caused by infection from a virus/bacteria/ parasite or reaction to food or medication.

Ear Aches/Problems

Ear ache symptoms may include ear itching, pressure, pain, ear drainage, fever, or decreased hearing. Common causes may include a middle or outer ear infection, foreign object in the ear, fluid in the middle ear, or minor injury. This can also be attributed to a cold/respiratory illness or due to recent swimming.

Often ear wax may build up in the ear canal. Common symptoms may include poor hearing, a full feeling, itching, tenderness, or irritation. To clear ear wax a therapeutic washing out of wax buildup is used and sometime may need an ear wax softener.

If the ear pain is accompanied with redness or swellings of the skin around the outside of the ear or onto the cheek/eye region, or you are not able to open your mouth completely, please visit the GMC Emergency Department.

Level I Office Visit \$90.00 Level II Office Visit (Includes Procedure) \$140.00

Eye Infections/Injury/Problems

Eye infection symptoms may include redness, itching, irritation, pain, pressure, fever, swelling, draining/crusted (matting) or tearing, sudden problems seeing. Common causes may include infection such as Pink Eye, sty, dry eyes, allergies, foreign objects causing irritation, or virus.

Eye injuries may include eye redness, itching, irritation, pain, pressure, swelling, draining, crusted (matting), or tearing eyes and sometimes sudden problems seeing. Eye injuries are often caused by foreign objects such as dirt, grass, leaves, gravel, metal fleck, fingernail scratches, eyelashes, lint irritation, splashed or spilled liquid that has entered the eye.

Level I Office Visit \$90.00 Level II Office Visit (Includes Procedure) \$140.00

Gout

Gout symptoms may include pain or swelling/inflammation of joints usually toes/feet, redness, pain with walking/standing or burning/hot feeling. Gout often occurs from a type of arthritis or an increased level of uric acid.

Headaches

Headache symptoms may include pain to head, vision changes, congestion, pounding or throbbing, fatigue (tired) or ringing/buzzing in the ears. Common causes may include stress, migraines, dehydration, viruses or bacteria infections, allergies, sinus pressure.

Level II Office Visit \$140.00

Hemorrhoids

Common symptoms of hemorrhoids may include pain with bowel movements, slight bright red blood with bowel movement, swelling/inflammation at or inside the rectum and sometimes pain with sitting or during an activity such as riding a bike. Hemorrhoids are swollen veins inside or outside the rectum or anus and common causes of hemorrhoids include constipation, recent child birth or a diet lacking fiber.

Level I Office Visit \$90.00

Flu/Influenza

Commonly known as the Influenza virus, influenza symptoms may include coughing, sneezing, runny or stuffy nose, body aches, chills, fevers, irritated or watering eyes, and congestion. We may have to test for influenza virus which will require an additional lab charge.

Level I Office Visit \$90.00 + Influenza Test (If Applicable) \$74.00

Laryngitis

Common symptoms of laryngitis may include hoarse or loss of voice, sore throat, and discomfort with swallowing, runny or stuffy nose, low grade fever or tender lymph nodes. Common causes may include sore throat, viruses, allergies, frequent coughing or reflux (GERD).

Level I Office Visit \$90.00

Medication Side Effects

Sometimes medications either prescribed or over the counter cause problems or interaction with your body. Common side effects of many medications may include simple allergy reactions such as rash/hives, nausea/vomiting/diarrhea, dizziness, change in mood, body aches, fatigue/ drowsiness (tired), headaches, stomach ache, and constipation.

Nose Bleed (Epistaxis)

Nose bleeds can have many causes and can be mild to serious in severity. It may not be appropriate to be treated in Urgent Care depending on your underlying health problems.

Level II Office Visit \$140.00 + Nasal Packing (If Applicable) \$60.00

Rashes/Minor Skin Problems

Common symptoms of rashes or minor skin problems may include itching, irritation, redness, pain, mild swelling, blisters, fever, body aches, dry or flaking skin, cracking of skin, pus or draining sores, rough patches or scaly skin. Common causes may include ringworm, chicken pox or shingles, eczema, impetigo, allergic skin reaction, virus, bacteria, yeast infection, sunburn, ingrown hair, foreign object in the skin, poison ivy/oak, psoriasis, dry skin, anxiety reaction, medication side effect, skin color changes or small bruises.

Level I Office Visit \$90.00 + Simple Incision & Drainage (If Applicable) \$60.00

Sexually Transmitted Infections (STIs)

Common symptoms of STIs may include, itching, irritation, pain, drainage or discharge, cracked or open skin or sores, redness, rash, or blisters on the genitals or surrounding skin. Other symptoms may include fever, body aches, chills, stomach pain, nausea, vomiting or bad odor. Common causes of genital problems may include chaffing or skin irritation, allergic reaction, a bacteria/virus/yeast infection or sometimes sexually transmitted infections.

Level II Office Visit \$140.00 + Urine Screen (If Applicable) \$20.00 + Pelvic Exam (If Applicable) \$60.00

Sinus Infections

Common symptoms of sinus infections may include stuffy and/or runny nose, sinus pressure or pain, post nasal drip, dry or sometimes hacking cough, fevers, headaches. Common causes may include colds, congestion, sinus infections - bacteria or virus, foreign objects in the nose/sinuses, or allergies.

Stomach /GI Problems

Common symptoms of stomach or GI problems may include an upset stomach or nausea, vomiting, stomach cramps, diarrhea, body aches, chills, fatigue (tired), fever, rash and sometimes dehydration. Common causes may include viruses/bacteria/yeast infections, reaction to food or medications, heartburn/acid reflux (GERD), ulcers, gas, constipation, diverticulitis, appendicitis, irritable bowel syndrome, parasites, dehydration and many more.

Level II Office Visit \$140.00

Sore Throat

Sore throat symptoms may include pain with swallowing or talking, enlarged tonsils or tender lymph nodes on the neck, a change in voice or laryngitis, runny or stuffy nose, fever, headache, fatigue (tired), body aches, chills and sometimes stomach ache. Common causes may include an infection of bacteria/yeast/viruses, allergies, frequent coughing, mono, strep throat, post nasal drip, or acid reflux (GERD).

Level I Office Visit \$90.00 + Rapid Strep Test (If Applicable) \$27.00

Toothache

Common symptoms of a toothache may include pain, trouble chewing, pressure, jaw ache, headache, fever, drainage of pus on the gums, tooth, or mouth; sores in mouth, and swelling in mouth or face. Common causes may include tooth injury, infection, cracked tooth, jaw problems, teeth grinding, or cavities.

Level I Office Visit \$90.00

Yeast Infections

Yeast infections are commonly found in the mouth (thrush), on the skin, feet/toes (athletes foot), or genitals. Common symptoms may include, itching, irritation, pain, redness or rash on the skin, and in genitals sometimes white drainage/discharge.

Level I Office Visit \$90.00 + Pelvic Exam (If Applicable) \$60.00

Injuries

Simple Fractures/Broken Bones

Simple fractures of the bone typically do not appear out of place and often occur due to a minor injury, including a twisting of an arm, leg, ankle, wrist, elbow, finger, or toe. They may also occur from falling, jumping, or landing on the area or when an object falls on the area. Common symptoms include swelling, pain, and pressure that stops normal activity and movement. The pain can be a sharp or dull pain which sometimes shoots up or down from the injured area.

Level III Office Visit \$185.00 + Simple Reduction (If Applicable) \$60.00

Animal Bites (Simple/Confirmed Non-Rabid)

Often simple bites are from a cat, dog, domestic ranch animal or common pet. Common symptoms may include pain, tight muscles, pain/pressure that stops normal activity or movement. The pain can be a sharp or dull pain which sometimes shoots up or down from the injured area.

Level I Office Visit \$90.00 + TDap (If Applicable) \$63.00

Back Aches/Strains (Sudden and New)

Common symptoms of back aches and strains include swelling, tight muscles, bruises, pain, or pressure that stops normal activity and movement. The pain can be a sharp or dull pain which sometimes shoots up or down from the injured area. Common causes may include twisting (spraining) an arm, leg, ankle, wrist, elbow, finger, or toe and can include a muscle that was pulled, injured, or overworked.

* Chronic Back conditions will not be seen in Urgent Care.

Bruises/Cuts/Scrapes or Simple Puncture/Fish Hook Injuries

We are able to attend to bruises, cuts, scrapes, simple laceration or simple puncture wounds that may include bleeding, swelling, and pain. Sometimes foreign objects may become stuck in the skin such as gravel, dirt, a fish hook, a piece of glass, metal, or wood and sometimes a tack or nail. At times, these types of wounds may require a tetanus booster vaccine, skin glue, steristrips or removal of foreign objects.

Level I Office Visit \$90.00 Level II Office Visit (Includes Procedure) \$140.00 + TDap (If Applicable) \$63.00

Burns (Minor) or Sunburns

Common symptoms of minor burns or sunburns may include redness, itching, tenderness and pain, blisters, flaking, peeling or dry skin. Minor burns are usually in a small area and are a superficial surface of the skin.

Level I Office Visit \$90.00

Fingernail/Toenail Injury/Problems

Fingernail or toenail injuries may include bleeding, swelling, pain, and sometimes foreign objects may become stuck in the nail. Sometimes this may require a tetanus booster vaccine, skin glue or removal of foreign objects. Often these types of injuries are a result of a minor injury to the fingernail/toenail which causes an opening or a collection of blood under the nail, a puncture with a foreign object such as a fish hook, a nail, staple or glass.

Level I Office Visit \$90.00 Level II Office Visit (Includes Procedure) \$140.00 + TDap (If Applicable) \$63.00

Insect Bites/Bee Stings

Common symptoms of insect bites and bee stings may include itching, redness, swelling, hives, irritation or pain, open/blistered sore and sometimes draining pus. Stingers may also become stuck in the skin.

Sprains (Sudden and New)

Sprain symptoms may include swelling, tight muscles, bruises, and pain/pressure that stops normal activity and movement. The pain can be a sharp or dull pain which sometimes shoots up or down from the injured area. Common causes may include twisting (spraining) an arm, leg, ankle, wrist, elbow, finger, or toe. It can also occur from a muscle that was pulled, injured, or overworked.

Level III Office Visit \$185.00

Tick Removal

Removal of a tick is a simple procedure and can be assessed for complications. Ticks are common in the spring/summer/early fall seasons and sometimes bite or become embedded in the skin.

Procedures

Dressing Changes

Simple to moderate complexity of dressing changes may be done under specific situations. It is recommended you see your primary care provider for ongoing wound care needs.

Level I Office Visit \$90.00

Laceration/Wound Repair (Minor)

A minor laceration requires stitches or staples to repair the skin including superficial closure of the skin.

Level III Office Visit \$185.00

Splinter/Sliver Removal

Common symptoms of a splinter or sliver may include bleeding, redness, swelling, itching, pain or infection. Sometimes additional treatment is needed and this may require a tetanus booster vaccine or skin glue. Splinter or slivers are often the result of a foreign object that punctures the skin and becomes stuck. Foreign objects can include: A piece of glass, metal, wood, tack, nail, and sometimes dirt or gravel.

Level I Office Visit \$90.00 Level II Office Visit (Includes Procedure) \$140.00 + TDap (If Applicable) \$63.00

Suture Removal

Removal of uncomplicated sutures with no signs of infection. Patient must provide documentation or an order of when sutures are supposed to be removed.

Wart/Skin Tag (Max of Three)

Removal of a benign appearing common skin lesion, sore, tag, growth, or wart may be done with liquid nitrogen (freezing) or clipped/cut off when causing irritation, redness, itching, "snagging or catching" on clothing.

Level II Office Visit \$140.00

Additional Procedures

Additional procedure charges outside of outlined menu items may be added to the overall cost of the Urgent Care visit depending on care provided. Additional procedures may include: Simple Reduction (i.e. Finger, toe), Simple Incision and Drainage, Nasal Packing, Pelvic Exam, etc...

Each Procedure \$60.00

Possible Additional Charges

Blood Pressure

Manual or automatic (machine) blood pressure checks are done as a walk in (appointment not required).

No Charge

Diabetes/Blood Sugar

To test Diabetes and Blood Sugar levels, we will use the Random Glucose (blood sugar) level finger stick.

\$19.00

Influenza Test (A|B)

The Influenza test is used to help determine whether or not a person may have Influenza A or Influenza B.

\$60.00

Mono Spot Rapid Screening Test

Mono Spot Rapid Screen Test is used to help determine whether or not a person may have Infectious Mononucleosis.

\$25.00

Occult Blood

Blood that is present in amounts too small to be seen and can be detected only by chemical analysis or microscopic examination.

\$11.00

Pregnancy Urine Test

The pregnancy urine test is used to accurately determine if someone may be pregnant.

\$22.00

Respiratory Syncytial Virus (RSV)

A viral infection of the respiratoy tract that typically affects children under the age of two.

Strep Culture

A Strep culture is used to help determine if someone has strep throat infection.

\$27.00

\$25.00

Tdap (Diptheria, Tetanus, Pertussis)

Tetanus, diphtheria, and pertussis can be very serious diseases. These three diseases are all caused by bacteria. Diphtheria and pertussis are spread from person to person. Tetanus enters the body through cuts, scratches, or wounds.

\$63.00

Urine Screen

Urine Screen Test is used to diagnose Urinary Tract Infections and other urinary tract conditions. \$20.00

Additional charges will apply for Laboratory or Imaging Services received outside of the Urgent Care office.

PLEASE NOTE, for all Urgent Care services:

- Please bring a complete list of your medications with you.
- Urgent Care does not provide prescriptions for controlled medications such as narcotics.
- Urgent Care cannot provide medication refills.
- You may need to be referred if you have complex symptoms.
- Patients under the age of 18 must have signed parental consent to be seen.
- Patients with complex medical conditions may be referred to their Primary Care provider or a higher level of care.

Payment Information

- Payment is due at time of service.
- Urgent Care will bill most major insurances. Please check with your insurance company prior to your visit. If your insurance company does not consider Urgent Care in network, you will be responsible for the balance.
- Insurances that we cannot bill include VA, Indian Health Service, Worker's Compensation.
- Please bring your insurance card with you.
- If you are insured, please be prepared to pay your copay.
- If your insurance cannot be billed, balance is due at time of service.
- If you are uninsured, payment is expected at time of service if you were examined or treated.

Glendive Medical Center is pleased to offer this new service to make accessing care more convenient for you. If you have symptoms not listed in the list above, call your personal physician or go to Gabert Medical Clinic or Glendive Medical Center Emergency Department.